

INTRINSIX



GALAXIA

ARCHITECTURAL DOWNLIGHTS

PRODUCT PROFILE

GALAXIA

ARCHITECTURAL DOWNLIGHTS



Description

The GALAXIA range of downlights are available in 4", 6" and 8" widths and white baffle color.

These long-life LEDs provide at least 70% of initial lumen output (L70) for 149,000 hours of operation. They are constructed with an aluminum housing and provide easy installation in new construction or retrofit applications.

They are compatible with 6.30" ceiling cut-outs and 6" mounting frames.

The color temperatures selectable are:

2700K (soft white)
3000K (warm white)
3500K (warm/neutral white)
4000K (neutral white)
5000K (cool white)


Specifications

- Output Power: 6-50W
- Dimming: 0-10V
- Voltage: 120-277VAC, 50/60Hz
- Baffle colors: White
- Power Factor: >0.90
- Operating Temp: <113°F
- Warranty: 50,000 Hours/5 Years




Downlight LED Fixture Details


Product Number	Size	Lumen Output Selectable (Lm)	CCT (K) Selectable	Watts (W) Selectable	Volts (V)	Power Factor	Dimming Power	Operating Temperature
IX-ER4-2L-LKFS-WHT	4"	500/800/1000	2700/3000/3500/4000/5000	6/9/12	120-277	> 0.90	0-10V	<113°F
IX-ER6-2L-LKFS-WHT	6"	1000/1500/2000	2700/3000/3500/4000/5000	10/15/20	120-277	> 0.90	0-10V	<113°F
IX-ER8-2L-LKFS-WHT	8"	3000/4000/5000	2700/3000/3500/4000/5000	30/40/50	120-277	> 0.90	0-10V	<113°F




Product Dimensions



Series	Ø	H	Weight
IX-R4-2L-LKFS-WHT	5.1"	3.2"	0.7 lbs
IX-R4-2L-LKFS-SW	5.1"	3.2"	0.7 lbs



Series	Ø	H	Weight
IX-R6-2L-LKFS-WHT	8.4"	4.2"	1.4 lbs
IX-R6-2L-LKFS-SW	8.3"	4.4"	1.0 lbs



Series	Ø	H	Weight
IX-R8-2L-LKFS-WHT	10"	4.5"	1.4 lbs
IX-R8-2L-LKFS-SW	10"	4.5"	1.4 lbs



Intertek

The ETL Listed mark is an indicator of the product's compliance with safety regulations, recognized and accepted by the UL and CSA marks. As Intertek's ETL subjects' products to UL standards for safety, products marked as ETL Listed meet the same ridged criteria as marked with UL Lister or UL Recognized. Intertek ETL is a Nationally Recognized Testing Laboratory (NRTL) recognized by the Occupational Safety and Health Administration (OSHA).



The Federal Communications Commission (FCC) is an independent agency of the United States government that was created to regulate all forms of telecommunication inside of the U.S. including the radio frequency (RF) of electronics. Our products are fully tested ensure that they will not electromagnetically interfere with other products nor cause risk to the public as required by law.